- 1. (AMENDED) A [Turing complete] computer implemented learning method comprising the steps of:
- (a) providing <u>a computer with</u> an indirectly executable [computer] program including:
- a first instruction that points to and designates machine code stored in a memory as data;
- a second instruction that points to and designates machine code stored in [the] <u>a</u> memory as [at least one] directly executable [function] <u>code</u>;
- a third instruction that alters machine code pointed to by the first instruction; and
- a fourth instruction that executes machine code pointed to by the second instruction; and
- (b) controlling the <u>computer to execute the</u> program [to perform] <u>which performs</u> the steps of:
- (b1) creating and storing a machine code entity including [at least one] a directly executable [function having a directly executable branch] instruction in a memory, said directly executable instruction causing the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said directly executable instruction in the entity;
- (b2) executing the second instruction to point to the entity;
- (b3) executing the [third] <u>fourth</u> instruction using [training] <u>input</u> data to produce a result;
- (b4) [processing] <u>evaluating</u> the result using a learning algorithm;
- (b5) executing the first instruction to point to the
 entity;
- (b6) [altering] executing the third instruction to alter the entity using an alteration algorithm to include [at least one other] a different directly executable [function] instruction;



and

(b7) repeating steps (b3) to (b6) until an end criterion is reached.

- 2. (AMENDED) A method as in claim 1, in which [the branch] said directly executable instruction is a recursive instruction.
- 3. (AMENDED) A method as in claim 1, in which [the branch] said directly executable instruction is a leaf function call.
- 4. (AMENDED) A method as in claim 1, in which [the branch] said directly executable instruction is an external function call.
- 5. (AMENDED) A method as in claim 1, in which [the branch] said directly executable instruction is a subroutine call.
 - 6. (AMENDED) A method as in claim 1, in which:

the first instruction points to and designates machine code stored in a memory as data by casting a pointer [to the entity] thereto as a data pointer; and

the second instruction points to and designates machine code stored in [the] <u>a</u> memory as [a] directly executable [function] <u>code</u> by casting [said] <u>a</u> pointer <u>thereto</u> as a function pointer.

7. (AMENDED) A method as in claim 1, in which:

[said at least one directly executable function as comprises] step (b1) comprises creating the entity as comprising a return instruction; and

step (b6) comprises preventing the return instruction from being altered.

 $\mathfrak{R}^{\mathcal{S}}$ (AMENDED) A method as in claim 1, in which:

step (b1) comprises creating and storing the entity as [an array of functions;

step (b2) comprises executing the second instruction to point to the array; and

step (b5) comprises executing the first instruction to point to the array] <u>including a plurality of routines</u>, at least one of which includes a directly executable instruction.



10. (AMENDED) A method as in claim 8, in which:

each [function] <u>routine</u> includes at least one directly executable instruction; and

the [functions] <u>routines</u> can include different numbers of directly executable instructions.

(AMENDED) A method as in claim 10, in which the [functions] routines have a maximum length.

(AMENDED) A method as in claim 9, in which at least one of the [functions includes] routines is a subroutine.

(AMENDED) A method as in claim 1, in which [said at least one function] the entity comprises a subroutine that is called by [the branch] said directly executable instruction.

(AMENDED) A method as in claim 1; in which [said at least one function] the entity comprises a plurality of subroutines that can call each other.

15. (AMENDED) A method as in claim 1, in which:

[said at least one function] the entity comprises a main [function] routine and a plurality of subroutines which have headers respectively; and

step (b1) comprises initializing the headers such that some of the subroutines cannot call others of the subroutines.

(AMENDED) A method as in claim 1, in which:

[said at least one function] the entity comprises a main [function] routine and a subroutine having headers respectively; and

step (b1) comprises initializing the header of the subroutine such that it can call itself and thereby perform recursion.

(AMENDED) A [Turing complete] computer learning system comprising:

<u>a</u> memory [means] for storing an indirectly executable computer program including:

a first instruction that points to and designates

Page 5

machine code stored in [a] the memory as data;

a second instruction that points to and designates machine code stored in the memory as [at least one] directly executable [function] machine code;

a third instruction that alters machine code pointed to by the first instruction; and

a fourth instruction that executes machine code pointed to by the second instruction; and

[processing means] <u>a processor</u> for executing the program; the [processing means] <u>processor</u>, memory [means] and program operating in combination for performing the steps of:

- (a) creating and storing a machine code entity including [at least one] <u>a</u> directly executable [function having a directly executable branch] instruction in the memory [means], said directly executable instruction causing the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said directly executable instruction in the entity;
- (b) executing the second instruction to point to the entity;
- (c) executing the [third] <u>fourth</u> instruction using [training] <u>input</u> data to produce a result;
- (d) [processing] evaluating the result using a learning algorithm;
- (e) executing the first instruction to point to the
 entity;
- (f) [altering] executing the third instruction to alter the entity using an alteration algorithm to include [at least one other] a different directly executable [function] instruction; and
- (g) repeating steps (b) to (f) until an end criterion is reached.



527

(AMENDED) A system as in claim 17, in which:

the first instruction points to and designates machine code stored in [a] the memory as data by casting a pointer [to the entity] thereto as a data pointer; and

the second instruction points to and designates machine code stored in the memory as [a] directly executable [function] code by casting [said] a pointer thereto as a function pointer.

(AMENDED) A system as in claim A, in which:

[said at least one directly executable function as comprises] step (a) comprises creating the entity as comprising a return instruction; and

step [(b6)] $\underline{(f)}$ comprises preventing the return instruction from being altered.

(AMENDED) A system as in claim 17, in which:

step [(b1)] (a) comprises creating and storing the entity as [an array of directly executable functions;

step (b2) comprises executing the second instruction to point to the array; and

step (b5) comprises executing the first instruction to point to the array] <u>including a plurality of routines</u>, at least one of which includes a directly executable instruction.

(AMENDED) A system as in clarm 24, in which:

each [function] <u>routine</u> includes at least one directly executable instruction; and

the [functions] <u>routines</u> can include different numbers of directly executable instructions.

(AMENDED) A system as in claim 5, in which the [functions] routines have a maximum length.

of the [functions includes] routines is a subroutine.

(AMENDED) A system as in claim 17, in which [said at least one function] the entity comprises a subroutine that is called by [the branch] said directly executable instruction.

 Ω^2

Page 7

(AMENDED) A system as in claim 17, in which [said at least one function] the entity comprises a plurality of subroutines that can call each other.

(AMENDED) A system as in claim 1, in which:

[said at least one function] the entity comprises a main [function] routine and a plurality of subroutines which have headers respectively; and

step [(b1)] (a) comprises initializing the headers such that some of the subroutines cannot call others of the subroutines.

(AMENDED) A system as in claim 17 in which:

[said at least one function] the entity comprises a main [function] routine and a subroutine having headers respectively; and

step [(b1)] (a) comprises initializing the header of the subroutine such that it can call itself and thereby perform recursion.

(AMENDED) A system as in claim , in which:

"the memory [means] comprises a main memory and a processor memory that is part of the processor; and

step (a) comprises storing the entity in the processor

(UNCHANGED) A system as in claim 2, comprising an integrated circuit chip, in which the processor and the processor memory are formed on the chip.

OUNCHANGED) A system as in claim 3, in which at least a portion of the program is stored processor memory.

(AMENDED) A [method] <u>system</u> as in claim of, in which: the processor memory comprises a non-volatile memory

the processor memory comprises a non-volatile memory section; and

said at least a portion of the program is stored in the non-volatile memory section.

Performed between steps (b1) and (b7), of:



Mr. A.

(b8) making a copy of the entity.

A method as in claim 1, in which said directly executable instruction comprises a branch instruction.

A method as in claim 1, in which said directly executable instruction comprises a call instruction.

A method as in claim 1, in which said directly executable instruction comprises a subroutine call instruction.

A method as in claim 1, in which said directly executable instruction comprises a jump instruction.

A method as in claim 1, in which said directly executable instruction comprises a conditional jump instruction.

A method as in claim 1, in which said directly executable instruction comprises a function call.

A method as in claim 42, in in which the contents of the function call are learned by executing steps (b1) to (b7).

A method as in claim 44, in which in which the contents of the function call are not learned by executing steps (b1) to

A method as in claim 1, in which said directly executable instruction comprises an external function call.

A method as in claim 1, in which said directly executable instruction causes the processor to execute a procedure in which the entire state of the processor is not saved before execution of the procedure.

A method as in claim 1, in which said directly executable instruction causes the processor to execute a leaf procedure.

A method as in claim A, in in which the contents of the leaf procedure are learned by executing steps (b1) to (b7).

A method as in claim 45 in which in which the contents of the leaf procedure are not learned by executing steps (b1) to

A method as in claim 1, in which said directly executable instruction causes data to be retrieved from the memory.

 $6m_0$

6mo

Page 9

A method as in claim 1, in which said directly executable instruction causes data to be retrieved from the memory using an index.

A method as in claim 1, in which said directly executable instruction causes the processor to execute an instruction which precedes said directly executable instruction.

A method as in claim 1, in which said directly executable instruction comprises a loop instruction.

A method as in claim 1, in which said directly executable instruction causes the computer to execute in a recursive manner.

A method as in claim 1, in which said directly executable instruction comprises a list instruction.

A method as in claim 1, in which said directly executable instruction comprises a string instruction.

A method as in claim 1, in which said directly executable instruction causes the processor to link the entity to a function which is external of the entity.

A method as in claim 1, in which said directly executable instruction comprises a protected division function.

A method as in claim 1, in which said directly executable instruction is a logarithmic function.

A method as in claim 1, in which said directly executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said instruction which directly follows said directly executable instruction in the entity.

A method as in claim 1, in which said directly executable instruction causes data to be written to the memory.

A method as in claim 1, in which said directly executable instruction causes data to be written to the memory using an index.

A method as in claim 1, in which said directly executable instruction causes data in the memory to be altered.



84

Page 10

64. A method as in claim 1, in which said directly executable instruction a causes data in the memory to be altered using an index.

A method as in claim 1, in which said directly executable instruction comprises a control transfer instruction.

A method as in claim 1, in which:

the entity comprises a main routine and a plurality of subroutines; and

step (b1) comprises creating and storing the entity such that some of the subroutines cannot call others of the subroutines.

A method as in claim of, further comprising the step, performed between steps (b1) and (b7), of:

(b8) making a copy of the entity.

executable instruction comprises a branch instruction.

A system as in claim in which said directly executable instruction comprises a call instruction.

A system as in claim and, in which said directly executable instruction comprises a subroutine call instruction.

A system as in claim in which said directly executable instruction comprises a jump instruction.

A system as in claim in which said directly executable instruction comprises a conditional jump instruction.

A system as in claim in which said directly executable instruction comprises a function call.

A system as in claim 43, in in which the contents of the function call are learned by executing steps (b1) to (b7).

A system as in claim 73, in which in which the contents of the function call are not learned by executing steps (b1) to (b7).

A system as in claim 17, in which said directly executable instruction comprises an external function call.

 $\frac{3}{2}$

PMD.

Page 11

A system as in claim in which said directly executable instruction causes the processor to execute a procedure in which the entire state of the processor is not saved before execution of the procedure.

A system as in claim, in which said directly executable instruction causes the processor to execute a leaf procedure.

A system as in claim 78, in which the contents of the leaf procedure are learned by executing steps (b1) to (b7).

A system as in claim 78, in which in which the contents of the leaf procedure are not learned by executing steps (b1) to (b7).

81. A system as in claim 17, in which said directly executable instruction causes data to be retrieved from the memory.

A system as in claim, in which said directly executable instruction causes data to be retrieved from the memory using an index.

83. A system as in claim 1, in which said directly executable instruction causes the processor to execute an instruction which precedes said directly executable instruction.

A system as in claim, in which said directly executable instruction comprises a loop instruction.

executable instruction causes the computer to execute in a recursive manner.

executable instruction comprises a list instruction.

A system as in claim of in which said directly in which said directly

A system as in claim in which said directly executable instruction comprises a string instruction.

A system as in claim in which said directly executable instruction causes the processor to link the entity to a function which is external of the entity.

RUD



89. A system as in claim 17, in which said directly executable instruction comprises a protected division function.

executable instruction is a logarithmic function.

A system as in claim, in which said directly executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said instruction which directly follows said directly executable instruction in the entity.

22. A system as in claim 7, in which said directly executable instruction causes data to be written to the memory.

A system as in claim 17, in which said directly executable instruction causes data to be written to the memory using an index.

A system as in claim in which said directly executable instruction causes data in the memory to be altered.

A system as in claim in which said directly executable instruction a causes data in the memory to be altered using an index.

A system as in claim , in which said directly executable instruction comprises a control transfer instruction.

A computer implemented learning method using a digital computer which includes a processor and a memory, comprising the steps of:

- (a) selecting a directly executable instruction;
- (b) determining a binary number which represents the directly executable instruction to the processor;
 - (c) selecting a location in the memory;
- (d) creating a directly executable machine code entity which includes the binary number;
 - imese) storing the entity as data in said location;
- (f) providing an indirectly executable instruction which causes the processor to directly execute machine code stored in



said location;

- (g) controlling the processor to process the indirectly executable instruction, resulting in the processor directly executing the entity as including the directly executable instruction;
- (h) altering the entity as data such that the binary number is changed to represent a different directly executable machine code program instruction to the processor; and
- (i) repeating steps (c) to (h) until an end criterion is reached.
- 98. A method as in claim 97, further comprising the step, performed before step (a), of:
- (j) allocating space in the memory for the entity such that said space will remain allocated for a plurality of executions of steps (c) to (h). 9
- A method as in claim 97, in which steps (a) to (e) comprise creating and storing the entity as including binary numbers representing a plurality of directly executable instructions respectfully which are arranged to emulate a tree structure.
- 10. A method as in claim 99, in which some of the directly executable instructions are arranged to constitute parenthesis in the tree structure.
- 100. A method as in claim 97, in which steps (a) to (e) comprise creating and storing the entity as including binary numbers representing a plurality of directly executable instructions respectively, a group of which is protected from being broken apart while performing step (h).
- 182. A method as in claim 181, in which steps (a) to (e) further comprise creating and storing the entity as including protection data that indicates boundaries of said group for protecting said group from being broken apart.

103. A method as in claim 107, in which steps (a) to (e) further comprises storing protection data separate from the entity, the protection data indicating boundaries of said group for protecting said group from being broken apart.

Performing genetic crossover.

105 A method as in claim 101, in which step (h) comprises performing genetic mutation.

executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said directly executable instruction in the entity,

197. A method as in claim 97, further comprising the step, performed between steps (d) and (h), of:

(b8) making a copy of the entity.

107 108. A method as in claim 957, in which said directly executable instruction comprises a branch instruction.

100. A method as in claim 957, in which said directly executable instruction comprises a call instruction.

Tip. A method as in claim %97, in which said directly executable instruction comprises a subroutine call instruction.

The A method as in claim 797, in which said directly executable instruction comprises a jump instruction.

112. A method as in claim 97, in which said directly executable instruction comprises a conditional jump instruction.

A method as in claim 1697, in which said directly executable instruction comprises a function call.

function call are learned by executing steps (b1) to (b6).

of the function call are not learned by executing steps (b1) to (b6).

M3

Serial	No.	08/	682	, 859
--------	-----	-----	-----	-------

Page 15

RUD

116. A method as in claim 113, in which the contents of the function call are learned by executing steps (b1) to (b6).

The. A method as in claim 113, in which in which the contents of the function call are not learned by executing steps (b1) to (b6).

118. A method as in claim 97, in which said directly executable instruction comprises an external function call.

The A method as in claim 97, in which said directly executable instruction causes the processor to execute a procedure in which the entire state of the processor is not saved before execution of the procedure.

A method as in claim 957, in which said directly executable instruction causes the processor to execute a leaf procedure.

121. A method as in claim 120, in in which the contents of the leaf procedure are learned by executing steps (b1) to (b6).

of the leaf procedure are not learned by executing steps (b1) to (b6).

123. A method as in claim 120, in in which the contents of the leaf procedure are learned by executing steps (b1) to (b6).

A method as in claim 130, in which in which the contents of the leaf procedure are not learned by executing steps (b1) to (b6)...

(b6). 124. A method as in claim 9 μ , in which said directly executable instruction causes data to be retrieved from the memory.

A method as in claim 97, in which said directly executable instruction causes data to be retrieved from the memory using an index.

executable instruction causes the processor to execute an instruction which precedes said directly executable instruction.

128 A method as in claim 9697, in which said directly

6m

BM.

executable instruction comprises a loop instruction.

executable instruction causes the computer to execute in a recursive manner.

A method as in claim 957, in which said directly executable instruction comprises a list instruction.

131. A method as in claim 9597, in which said directly executable instruction comprises a string instruction.

executable instruction causes the processor to link the entity to a function which is external of the entity.

A method as in claim 97, in which said directly executable instruction comprises a protected division function.

A method as in claim 197, in which said directly executable instruction is a logarithmic function.

executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said instruction which directly executable instruction in the entity.

executable instruction causes data to be written to the memory.

A method as in claim 9697, in which said directly executable instruction causes data to be written to the memory using an index.

executable instruction causes data in the memory to be altered.

A method as in claim 97, in which said directly executable instruction a causes data in the memory to be altered using an index.

executable instruction comprises a control transfer instruction.

141. A method as in claim 97, in which:



step (b1) comprises creating the entity as comprising a return instruction; and

step (b5) comprises preventing the return instruction from being altered.

A method as in claim 97, in which said different different directly executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said different different directly executable instruction in the entity.

A method as in claim of, in which said different directly executable instruction comprises a branch instruction.

A method as in claim 97, in which said different directly executable instruction comprises a call instruction.

A method as in claim 97, in which said different directly executable instruction comprises a subroutine call instruction.

A method as in claim 97, in which said different directly executable instruction comprises a jump instruction.

Tay. A method as in claim 97, in which said different directly executable instruction comprises a conditional jump instruction.

A method as in claim of, in which said different directly executable instruction comprises a function call.

A method as in claim 97, in which said different directly executable instruction comprises an external function call.

A method as in claim 97, in which said different directly executable instruction causes the processor to execute a procedure in which the entire state of the processor is not saved before execution of the procedure.

151. A method as in claim 97, in which said different directly executable instruction causes the processor to execute a leaf procedure.

452. A method as in claim 87, in which said different directly executable instruction causes data to be retrieved from the memory.

153. A method as in claim 97, in which said different directly



executable instruction causes data to be retrieved from the memory using an index.

A method as in claim of, in which said different directly executable instruction causes the processor to execute an instruction which precedes said different directly executable instruction.

A method as in claim 97, in which said different directly executable instruction comprises a loop instruction.

A method as in claim of, in which said different directly executable instruction causes the computer to execute in a recursive manner.

157. A method as in claim 97, in which said different directly executable instruction comprises a list instruction.

A method as in claim 97, in which said different directly executable instruction comprises a string instruction.

A method as in claim 97, in which said different directly executable instruction causes the processor to link the entity to a function which is external of the entity.

A method as in claim 97, in which said different directly executable instruction comprises a protected division function.

FG. A method as in claim 97, in which said directly executable instruction is a logarithmic function.

A method as in claim 97, in which said different directly executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said instruction which directly follows said different directly executable instruction in the entity.

A method as in claim 97, in which said different directly executable instruction causes data to be written to the memory.

To 4. A method as in claim 97, in which said different directly executable instruction causes data to be written to the memory using an index.



Page 19

A method as in claim 97, in which said different directly executable instruction causes data in the memory to be altered.

486. A method as in claim 9 77, in which said different directly executable instruction a causes data in the memory to be altered using an index.

A method as in claim 97, in which said different directly executable instruction comprises a control transfer instruction.

168. A method of creating and executing machine code using a digital computer which includes a processor and a memory, comprising the steps of:

- (a) selecting a directly executable instruction which causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said directly executable instruction;
- (b) determining a binary number which represents the directly executable instruction to the processor;
 - (c) selecting a location in the memory;
- (d) creating a directly executable machine code entity which includes the binary number;
 - (e) storing the entity as data in said location;
- (f) providing an indirectly executable instruction which causes the processor to directly execute machine code stored in said location; and
- (g) controlling the processor to process the indirectly executable instruction, resulting in the processor directly executing the entity as including the directly executable instruction.

A method as in claim 168, further comprising the steps, performed after step (g), of:

- (h) copying the entity to produce a copied entity; and
- (i) altering the copied entity as data such that the



Page 20

binary number is changed to represent a different directly executable instruction. \sim

172. A method as in claim 169, in which:

step (d) comprises creating the entity as comprising a return instruction; and

step (i) comprises preventing the return instruction from being altered.

17. A method as in claim 168, further comprising the steps, performed after step (g), of:

- (h) copying the entity to produce a copied entity; and
- (i) altering the entity as data such that the binary number is changed to represent a different directly executable machine code program instruction to the processor.

172. A method as in claim 171, in which:

step (d) comprises creating the entity as comprising a return instruction; and

step (i) comprises preventing the return instruction from being altered.

173. A method as in claim 168, in which said directly executable instruction comprises a branch instruction.

A method as in claim 168, in which said directly executable instruction comprises a call instruction.

A method as in claim 16168, in which said directly executable instruction comprises a subroutine call instruction.

276. A method as in claim 16768, in which said directly executable instruction comprises a jump instruction.

A method as in claim 16168, in which said directly executable instruction comprises a conditional jump instruction.

178. A method as in claim 1268, in which said directly executable instruction comprises a function call.

179. A method as in claim 178, in in which the contents of the function call are learned by executing steps (a) to (g).

180. A method as in claim 178, in which in which the contents



of the function call are not learned by executing steps (a) to (g).

181. A method as in claim 188, in which said directly

181. A method as in claim 168, in which said directly executable instruction comprises an external function call.

rs2. A method as in claim 168, in which said directly executable instruction causes the processor to execute a procedure in which the entire state of the processor is not saved before execution of the procedure.

183. A method as in claim 168, in which said directly executable instruction causes the processor to execute a leaf procedure.

184. A method as in claim 183, in which the contents of the

leaf procedure are learned by executing steps (a) to (g).

185. A method as in claim 183, in which in which the contents of the leaf procedure are not learned by executing steps (a) to (g).

186. A method as in claim 168, in which said directly executable instruction causes data to be retrieved from the memory.

187. A method as in claim 168, in which said directly executable instruction causes data to be retrieved from the memory using an index.

executable instruction causes the processor to execute an instruction which precedes said directly executable instruction.

A method as in claim 168, in which said directly executable instruction comprises a loop instruction.

A method as in claim 1678, in which said directly executable instruction causes the computer to execute in a recursive manner.

191. A method as in claim 168, in which said directly executable instruction comprises a list instruction.

192. A method as in claim 168, in which said directly executable instruction comprises a string instruction.

193. A method as in claim 168, in which said directly

emo 3

executable instruction causes the processor to link the entity to a function which is external of the entity.

194. A method as in claim 168, in which said directly executable instruction comprises a protected division function.

195. A method as in claim $\frac{167}{168}$, in which said directly executable instruction is a logarithmic function.

executable instruction causes the processor to execute, as a next instruction, an instruction other than an instruction which directly follows said instruction which directly executable instruction in the entity.

executable instruction causes data to be written to the memory.

A method as in claim 168, in which said directly executable instruction causes data to be written to the memory using an index.

199. A method as in claim 168, in which said directly executable instruction causes data in the memory to be altered.

200. A method as in claim 1618, in which said directly executable instruction causes data in the memory to be altered using an index.

executable instruction comprises a control transfer instruction.

comprising the steps of:

(a) providing a Turing complete computer with an indirectly executable program including:

a first instruction that points to and designates machine code stored in a memory as data;

machine code stored in a memory as directly executable code;

a third instruction that alters machine code pointed by the first instruction; and



Page 23

- a fourth instruction that executes machine code pointed to by the second instruction; and
- (b) controlling the computer to execute the program which performs the steps of:
- (b1) creating and storing a machine code entity including a directly executable instruction in a memory;
- (b2) executing the second instruction to point to the entity;
- (b3) executing the fourth instruction using input data to produce a result;
 - (b4) evaluating the result;
 - (b5) executing the first instruction to point to the

(b6) executing the third instruction to alter the entity to include a different directly executable instruction; and

(b7) repeating steps (b3) to (b6) until an end criterion is reached.

203. A computer implemented learning method comprising the steps of:

- (a) providing a computer with an indirectly executable program including:
- a first instruction that points to and designates machine code stored in a memory as data;
- a second instruction that points to and designates machine code stored in a memory as directly executable code;
- a third instruction that alters machine code pointed to by the first instruction; and
- a fourth instruction that executes machine code pointed to by the second instruction; and
- (b) controlling the computer to execute the program which performs the steps of:
- (b1) creating and storing a machine code entity including a directly executable instruction in a memory, said

 $\bigcirc 3$

entity;

Page 24

directly executable instruction causing the processor to execute an instruction other than a next instruction which directly follows said directly executable instruction in the entity;

- (b2) executing the second instruction to point to the entity;
- (b3) executing the fourth instruction using input data to produce a result;
- (b4) evaluating the result using a learning
 algorithm;
 - (b5) making a copy of the entity;
- (b6) executing the first instruction to point to the copy of the entity;
- (b7) executing the third instruction to alter the copy of the entity using an alteration algorithm to include a different directly executable instruction; and
- (b8) repeating steps (b3) to (b7) until an end criterion is reached.

PLEASE AMEND THE SPECIFICATION AS FOLLOWS

Page 40, line 10: after "enabling" insert - routines including functions, main routines, --;

Pages 74 to 106 - delete these pages in their entirety.

Page 73, lines 6 to 11: delete the text in its entirety, and substitute therefor the following.

- --The following articles were physically included in this application as originally filed, and constitute part of the original disclosure thereof.
- 1. COMPLEXITY COMPRESSION AND EVOLUTION, by Peter Nordin et al, Proceedings of the Sixth International Conference of Genetic Algorithms, Pittsburg, PA 1995.
- 2. GENETIC PROGRAMMING CONTROLLING A MINIATURE ROBOT, by Peter Nordin et al, Symposium on Genetic Programming, MIT, Nov. 1995.



